

MODEL BUILDING MATERIALS COMPATIBILITY CHART

<u>OVER</u>	Spackle/Vinyl	Polyester Resin, Finish	Acrylic Lacquer Primer	Nitrate Dope	Butyrate Dope	Finish Acrylic Lacquer	Finish Alkyd Enamel	Finish Acrylic Enamel	Polyurethane Finish	Epoxy – Resin, Finish
<u>UNDER</u>										
Vinyl Spackle	C	NC	C	C	C	C	C	C	C	C
Polyester Resin, Finish	C	C	C	C	C	C	C	C	C	C
Acrylic Lacquer Primer	C	NC	C	C	C	C	C	C	C	C
Nitrate Dope	C	NC	C	C	C	C	C	C	C	C
Butyrate Dope	C	NC	C	NC	C	C	C	C	C	C
Acrylic Lacquer Finish	C	NC	C	NC	NC	C	C	C	C	C
Alkyd Enamel Finish	C	NC	C	NC	NC	C	C	C	C	C
Polyurethane Finish	C	NC	C	NC	NC	C	C	NC	C	C
Epoxy – Resin, Finish	C	NC*	C			C	C	C	C	C
Super Glue	C	C	C	C	C	C	C	C	C	C
Wood Glue	C	C	C	C	C	C	C	C	C	C

Legend:

C = Compatible

NC = Not compatible

** - Do not repair epoxy fuselages, parts, etc. with polyester resin based products as they will not cure over an epoxy base. You can use epoxy to repair polyester based products though.*